

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2019

ARIZONA
Page S1
Original Printing

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
0005	3.41	706	2065	1.98	477	2759	6.02	1123	3257	2.74	598	4053	—	—
0006X	10.53	1250	2070	3.07	651	2790	1.36	378	3270	2.82	611	4061	—	—
0016X	7.28	1250	2081	2.68	589	2797	3.91	786	3300	3.41	706	4082	2.44	550
0017X	4.11	818	2089	3.56	730	2799	5.06	970	3303	2.47	555	4101	3.92	787
0034X	3.36	698	2095	2.85	616	2802	5.39	1022	3307	3.12	659	4109	0.31	210
0035	2.37	539	2105	2.88	621	2835	2.14	502	3315	2.97	635	4110	0.51	242
0036X	5.60	1056	2110	2.88	621	2836	1.90	464	3334	1.79	446	4111	1.89	462
0037X	5.84	1094	2111	2.18	509	2841	3.25	680	3336	2.33	533	4113	—	—
0042	4.57	891	2112	6.41	1186	2881	2.22	515	3365	3.50	720	4114	1.99	478
0050	5.02	963	2114	2.78	605	2883	4.07	811	3372	3.26	682	4130	3.95	792
0059D	0.03	—	2121	1.24	358	2913	—	—	3373	3.12	659	4131	3.75	760
0066D	0.01	—	2130	2.70	592	2915	2.65	584	3383	1.19	350	4133	2.25	520
0067D	0.02	—	2131	1.80	448	2916	5.15	984	3385	0.60	256	4149	0.54	246
0106	16.41	1250	2143	3.03	645	2923	1.61	418	3400	2.85	616	4206	2.14	502
0251	2.88	621	2167	2.87	619	2942	—	—	3507	2.40	544	4207	1.42	387
0400	—	—	2172	1.29	386	2960	3.28	685	3515	2.05	488	4239	2.15	504
0401	9.12	1250	2174	2.14	502	3004	1.24	358	3548	0.88	301	4240	2.74	598
0766N	0.33	—	2211	6.97	1250	3018	2.69	590	3559	3.03	645	4243	2.27	523
0771N	0.32	—	2220	2.61	578	3022	2.66	586	3574	0.92	307	4244	2.81	610
0908P	187.00	187	2286	1.51	402	3027	2.11	498	3581	0.79	286	4250	1.39	382
0913P	418.00	418	2288	3.07	651	3028	2.39	542	3612	1.96	474	4251	2.01	482
1005*	4.99	958	2300	—	—	3030	5.97	1115	3620	3.81	770	4263	1.92	467
1016X*	11.92	1250	2302	1.45	392	3040	4.30	848	3629	1.13	341	4273	2.75	600
1164D	5.27	1003	2305	1.48	397	3041	4.10	816	3632	1.83	453	4279	2.71	594
1165D	2.90	624	2361	1.74	438	3042	3.28	685	3634	1.24	358	4282X	2.46	554
1320	1.65	424	2362	1.49	398	3064	3.41	706	3635	1.82	451	4283	1.76	442
1322	6.66	1226	2380	1.70	432	3069	—	—	3638	1.32	371	4299	1.46	394
1430	4.10	816	2386	—	—	3076	2.55	568	3639	—	—	4304X	3.70	752
1438	3.44	710	2388	1.26	362	3081D	3.73	757	3642	1.02	323	4307	1.41	386
1452	2.40	544	2402	2.11	498	3082	3.26	682	3643	1.64	422	4351	0.69	270
1463	8.77	1250	2413	2.20	512	3085D	3.38	701	3647	1.74	438	4352	1.55	408
1472	2.37	539	2416	1.57	411	3110	3.21	674	3648	1.19	350	4360	0.75	280
1624D	3.85	776	2417	1.07	331	3111	2.27	523	3681	0.56	250	4361	0.86	298
1642	1.54	406	2501	2.21	514	3113	1.62	419	3685	0.79	286	4410	3.51	722
1654	3.95	792	2503	2.39	542	3114	2.18	509	3719	0.95	312	4420	2.88	621
1655	—	—	2534	—	—	3118	1.49	398	3724	3.27	683	4431D	1.20	352
1699	3.31	690	2570	3.22	675	3119	0.73	277	3726D	3.01	642	4432	1.07	331
1701	3.19	670	2585	3.03	645	3122	1.68	429	3803	1.42	387	4439	—	—
1710	3.31	690	2586	2.01	482	3126	1.10	336	3807D	1.86	458	4452	2.15	504
1741	—	—	2587	2.13	501	3131	1.41	386	3808	2.49	558	4459	2.08	493
1747	1.68	429	2589	1.84	454	3132	2.61	578	3821	4.92	947	4470	1.83	453
1748	4.51	882	2600	3.31	690	3145	1.83	453	3822	3.66	746	4484	2.40	544
1803	5.06	970	2623	6.35	1176	3146	1.82	451	3824	3.35	696	4493	3.06	650
1852	—	—	2651	1.64	422	3169	2.50	560	3826	0.79	286	4511	0.60	256
1853	—	—	2660	1.64	422	3175	—	—	3827	1.73	437	4557	1.57	411
1860X	2.48	557	2670	1.52	403	3179	1.51	402	3830	0.78	285	4558	1.49	398
1924	1.96	474	2683	1.96	474	3180	2.20	512	3851	2.09	494	4568	2.63	581
1925	2.87	619	2688	2.18	509	3188	1.74	438	3865	1.82	451	4581	0.78	285
2002	2.09	494	2701	18.80	1250	3220	1.38	381	3881	2.99	638	4583D	3.69	750
2003	3.50	720	2702X	13.80	1250	3223	—	—	4000	4.73	917	4611	0.79	286
2014	4.17	827	2709	9.20	1250	3224	2.43	549	4021	3.79	766	4635	2.28	525
2016	2.37	539	2710	14.45	1250	3227	2.21	514	4024	2.52	563	4653	1.21	354
2021	2.05	488	2714	3.91	786	3240	1.96	474	4034	5.78	1085	4665	5.28	1005
2039	2.09	494	2731	4.41	866	3241	2.43	549	4036	1.74	438	4670	5.93	1109
2041	2.58	573	2735	3.38	701	3255	1.68	429	4038	3.02	643	4683	3.89	782

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

ARIZONA

Page S2

Original Printing

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2019

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
4686	1.86	458	5551D	10.36	1250	7133	3.48	717	8008	1.04	326	8608	2.42	547
4692	0.53	245	5606	0.91	306	7151M	4.23	837	8010	1.59	414	8709F	5.78	1085
4693	0.97	315	5610	4.63	901	7152M	5.11	978	8013	0.47	235	8719	2.28	525
4703	1.51	402	5645	12.12	1250	7153M	4.70	912	8015	0.79	286	8720	0.93	309
4717	1.70	432	5650X	3.32	691	7219	5.85	1096	8017X	1.16	346	8721	0.27	203
4720	2.03	485	5703	11.00	1250	7222	5.68	1069	8018	2.48	557	8723	0.16	186
4740	4.13	821	5705	21.81	1250	7225	4.69	910	8021	3.20	672	8725	3.37	699
4741	1.92	467	5951	0.34	214	7228	--	--	8031	2.55	568	8734M	0.36	218
4751	1.30	368	6003	4.99	958	7229	--	--	8032	1.91	466	8737M	0.33	213
4766XDN	2.44	603	6005	3.46	714	7230	8.25	1250	8033	2.23	517	8738M	0.40	224
4771XN	1.79	498	6017	--	--	7231	7.57	1250	8034X	2.63	581	8742X	0.27	203
4777	2.78	605	6018	1.53	405	7232	5.17	987	8037	2.03	485	8745	3.62	739
4825	1.05	328	6045	3.26	682	7250	--	--	8039	1.31	370	8748	0.57	251
4828	1.52	403	6204	6.49	1198	7309Fa	a	a	8044	2.41	546	8755	0.34	214
4829	1.27	363	6206	2.25	520	7313Fa	a	a	8045	0.53	245	8799	0.57	251
4902	1.96	474	6213	1.37	379	7317Fa	a	a	8046	1.98	477	8800	1.46	394
4923	0.82	291	6214	1.76	442	7333M	5.33	1013	8047	0.74	278	8803	0.06	170
5020	5.49	1038	6216	4.57	891	7335M	5.92	1107	8058	2.48	557	8805M	0.20	192
5022	6.92	1250	6217	2.81	610	7337M	6.44	1190	8072	0.71	274	8810	0.15	184
5037	15.03	1250	6229	4.70	912	7350F	15.70	1250	8102	1.92	467	8814M	0.18	189
5040	5.88	1101	6233	2.03	485	7360	4.09	814	8103	3.04	646	8815M	0.22	195
5057	3.99	798	6235	4.48	877	7370	4.06	810	8105	--	--	8820	0.13	181
5059	21.35	1250	6236	5.68	1069	7382	3.11	658	8106	4.44	870	8824	2.85	616
5069	--	--	6237	1.28	365	7390	4.34	854	8107	2.59	574	8825	1.94	470
5102	6.20	1152	6251	4.17	827	7394M	6.31	1170	8111	2.20	512	8826	1.94	470
5146	3.73	757	6252	4.01	802	7395M	7.01	1250	8116	2.92	627	8829	1.73	437
5160	1.86	458	6260	--	--	7398M	7.62	1250	8203	4.38	861	8831	1.50	400
5183	3.20	672	6306	4.57	891	7402	0.09	174	8204D	6.85	1250	8832	0.30	208
5188	3.24	678	6319	3.21	674	7403	4.29	846	8209	2.85	616	8833	0.73	277
5190	3.30	688	6325	3.72	755	7405N	1.23	462	8215	3.75	760	8835	1.52	403
5191	0.68	269	6400	4.77	923	7420	4.37	859	8227	4.99	958	8840X	0.66	266
5192	2.51	562	6503	1.55	408	7421	0.54	246	8232	4.58	893	8842	2.02	483
5213	6.17	1147	6504	2.50	560	7422	1.82	451	8233	2.41	546	8855	0.13	181
5215	4.35	856	6702M*	3.58	733	7425	2.02	483	8235	5.70	1072	8856	0.37	219
5221	4.18	829	6703M*	4.33	853	7431N	1.19	453	8263	7.70	1250	8864	1.39	382
5222	7.61	1250	6704M*	3.98	797	7445N	0.66	--	8264	5.32	1011	8868	0.36	218
5348	3.26	682	6801Fa	a	a	7453N	0.64	--	8265	5.85	1096	8869	1.12	339
5402	3.69	750	6811	2.50	560	7502	1.70	432	8279	8.17	1250	8871	0.06	170
5403	8.11	1250	6824F	11.59	1250	7515	1.15	344	8288	7.17	1250	8901	0.15	184
5437	5.61	1058	6826F	5.67	1067	7520	3.07	651	8291	2.70	592	9012	0.77	283
5443	3.98	797	6834	5.50	1040	7538	4.06	810	8292	2.99	638	9014	2.79	606
5445	5.13	981	6836	4.15	824	7539	1.51	402	8293	8.55	1250	9015	3.65	744
5462	7.21	1250	6872Fa	a	a	7540	2.58	570	8304	4.30	848	9016	2.56	570
5472	7.83	1250	6874Fa	a	a	7580	2.19	510	8350	4.99	958	9032X	2.53	565
5473	6.21	1154	6882	2.97	635	7590	2.78	605	8353X	5.26	1002	9033	2.31	530
5474X	6.41	1186	6884	4.19	830	7600	3.04	646	8380	2.05	488	9040	2.98	637
5478	3.17	667	7016M	1.96	474	7605	1.90	464	8381	1.74	438	9052	2.01	482
5479	5.90	1104	7024M	2.18	509	7610	0.42	227	8385	2.28	525	9058	1.43	389
5480D	5.20	992	7038M	8.11	1250	7705X	4.01	802	8392	2.10	496	9060	1.60	416
5491	1.72	435	7046M	4.63	901	7710X	4.33	853	8393D	1.14	342	9061	1.09	334
5506	6.07	1131	7047M	2.37	539	7720X	2.23	517	8411X	1.58	413	9063	0.93	309
5507	3.95	792	7050M	9.79	1250	7855	2.95	632	8500	6.50	1200	9077F	2.93	629
5508	7.88	1250	7090M	9.01	1250	8001	1.95	472	8601	0.27	203	9082	1.25	360
5535	5.13	981	7098M	5.14	982	8002	2.17	507	8602	1.28	365	9083	1.13	341
5537	4.92	947	7099M	5.59	1054	8006	1.73	437	8603	0.07	171	9084	1.91	466

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

ARIZONA

Page S2

Original Printing

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2019

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
4686	1.86	458	5551D	10.36	1250	7133	3.48	717	8008	1.04	326	8606	2.42	547
4692	0.53	245	5606	0.91	306	7151M	4.23	837	8010	1.59	414	8709F	5.78	1085
4693	0.97	315	5610	4.63	901	7152M	5.11	978	8013	0.47	235	8719	2.28	525
4703	1.51	402	5645	12.12	1250	7153M	4.70	912	8015	0.79	286	8720	0.93	309
4717	1.70	432	5650X	3.32	691	7219	5.85	1096	8017X	1.16	346	8721	0.27	203
4720	2.03	485	5703	11.00	1250	7222	5.68	1069	8018	2.48	557	8723	0.16	186
4740	4.13	821	5705	21.81	1250	7225	4.69	910	8021	3.20	672	8725	3.37	699
4741	1.92	467	5951	0.34	214	7228	—	—	8031	2.55	568	8734M	0.36	218
4751	1.30	368	8003	4.99	958	7229	—	—	8032	1.91	466	8737M	0.33	213
4766XDN	2.44	603	8005	3.46	714	7230	8.25	1250	8033	2.23	517	8738M	0.40	224
4771XN	1.79	498	8017	—	—	7231	7.57	1250	8034X	2.63	581	8742X	0.27	203
4777	2.78	605	8018	1.53	405	7232	5.17	987	8037	2.03	485	8745	3.62	739
4825	1.05	328	8045	3.26	682	7250	—	—	8039	1.31	370	8748	0.57	251
4828	1.52	403	8204	6.49	1198	7309Fa	a	a	8044	2.41	546	8755	0.34	214
4829	1.27	363	8206	2.25	520	7313Fa	a	a	8045	0.53	245	8799	0.57	251
4902	1.96	474	8213	1.37	379	7317Fa	a	a	8046	1.98	477	8800	1.46	394
4923	0.82	291	8214	1.76	442	7333M	5.33	1013	8047	0.74	278	8803	0.06	170
5020	5.49	1038	8216	4.57	891	7335M	5.92	1107	8058	2.48	557	8805M	0.20	192
5022	6.92	1250	8217	2.81	610	7337M	6.44	1190	8072	0.71	274	8810	0.15	184
5037	15.03	1250	8229	4.70	912	7350F	15.70	1250	8102	1.92	467	8814M	0.18	189
5040	5.88	1101	8233	2.03	485	7360	4.09	814	8103	3.04	646	8815M	0.22	195
5057	3.99	798	8235	4.48	877	7370	4.06	810	8105	—	—	8820	0.13	181
5059	21.35	1250	8236	5.68	1069	7382	3.11	658	8106	4.44	870	8824	2.85	616
5069	—	—	8237	1.28	365	7390	4.34	854	8107	2.59	574	8825	1.94	470
5102	6.20	1152	8251	4.17	827	7394M	6.31	1170	8111	2.20	512	8826	1.94	470
5146	3.73	757	8252	4.01	802	7395M	7.01	1250	8116	2.92	627	8829	1.73	437
5160	1.86	458	8260	—	—	7398M	7.62	1250	8203	4.38	861	8831	1.50	400
5183	3.20	672	8306	4.57	891	7402	0.09	174	8204D	6.85	1250	8832	0.30	208
5188	3.24	678	8319	3.21	674	7403	4.29	846	8209	2.85	616	8833	0.73	277
5190	3.30	688	8325	3.72	755	7405N	1.23	462	8215	3.75	760	8835	1.52	403
5191	0.68	269	8400	4.77	923	7420	4.37	859	8227	4.99	958	8840X	0.66	266
5192	2.51	562	8503	1.55	408	7421	0.84	246	8232	4.58	893	8842	2.02	483
5213	6.17	1147	8504	2.50	560	7422	1.82	451	8233	2.41	546	8855	0.13	181
5215	4.35	856	8702M*	3.58	733	7425	2.02	483	8235	5.70	1072	8856	0.37	219
5221	4.18	829	8703M*	4.33	853	7431N	1.19	453	8263	7.70	1250	8864	1.39	382
5222	7.61	1250	8704M*	3.98	797	7445N	0.66	—	8264	5.32	1011	8868	0.36	218
5348	3.26	682	8801Fa	a	a	7453N	0.64	—	8265	5.85	1096	8869	1.12	339
5402	3.69	750	8811	2.50	560	7502	1.70	432	8279	8.17	1250	8871	0.08	170
5403	8.11	1250	8824F	11.59	1250	7515	1.15	344	8288	7.17	1250	8901	0.15	184
5437	5.61	1058	8826F	5.67	1067	7520	3.07	651	8291	2.70	592	9012	0.77	283
5443	3.98	797	8834	5.50	1040	7538	4.06	810	8292	2.99	638	9014	2.79	606
5445	5.13	981	8836	4.15	824	7539	1.51	402	8293	8.55	1250	9015	3.65	744
5462	7.21	1250	8872Fa	a	a	7540	2.66	570	8304	4.30	848	9016	2.56	570
5472	7.83	1250	8874Fa	a	a	7580	2.19	510	8350	4.99	958	9032X	2.53	565
5473	6.21	1154	8882	2.97	635	7590	2.78	605	8353X	5.26	1002	9033	2.31	530
5474X	6.41	1186	8884	4.19	830	7600	3.04	646	8380	2.05	488	9040	2.98	637
5478	3.17	667	7016M	1.96	474	7605	1.90	464	8381	1.74	438	9052	2.01	482
5479	5.90	1104	7024M	2.18	509	7610	0.42	227	8385	2.28	525	9058	1.43	389
5480D	5.20	992	7038M	8.11	1250	7705X	4.01	802	8392	2.10	496	9060	1.60	416
5491	1.72	435	7046M	4.63	901	7710X	4.33	853	8393D	1.14	342	9061	1.09	334
5506	6.07	1131	7047M	2.37	539	7720X	2.23	517	8411X	1.58	413	9063	0.93	309
5507	3.95	792	7050M	9.79	1250	7855	2.95	632	8500	6.50	1200	9077F	2.93	629
5508	7.88	1250	7090M	9.01	1250	8001	1.95	472	8601	0.27	203	9082	1.25	360
5535	5.13	981	7098M	5.14	982	8002	2.17	507	8602	1.28	365	9083	1.13	341
5537	4.92	947	7099M	5.59	1054	8006	1.73	437	8603	0.07	171	9084	1.91	466

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2019

ARIZONA
Page S3
Original Printing

CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM	CLASS CODE	RATE	MIN PREM
9088a	a	a												
9089	1.35	378												
9093	1.84	454												
9101X	3.15	664												
9102	2.84	614												
9154	1.58	413												
9156	3.08	653												
9170	11.39	1250												
9177X	1.80	448												
9178X	5.31	1010												
9179X	5.60	1056												
9180	5.61	1058												
9182	1.77	443												
9186	14.20	1250												
9220	5.07	971												
9402	7.29	1250												
9403	5.24	998												
9410	2.97	635												
9501	2.39	542												
9505	3.03	645												
9516	3.04	646												
9519	3.90	784												
9521	3.03	645												
9522	1.62	419												
9529	-	-												
9534	3.19	670												
9554	7.58	1250												
9586	0.46	234												
9600	2.27	523												
9620	1.31	370												
9921X	1.92	467												

REFER TO UPDATE PAGE FOR ALL SUBSEQUENT REVISIONS TO ALL CLASS CODES

* Refer to the Footnotes Page for additional information on this class code.

WORKERS COMPENSATION AND EMPLOYERS LIABILITY

Effective January 1, 2019

FOOTNOTES

- a Rate for each individual risk must be obtained from NCCI Customer Service or the Rating Organization having jurisdiction.
- D Rate for classification already includes the specific disease loading shown in the table below. See *Basic Manual* Rule 3-A-7.

Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol	Code No.	Disease Loading	Symbol
0059D	0.03	S	3081D	0.01	S	4766XDN	0.02	S
0066D	0.01	S	3085D	0.00	S	5480D	0.01	S
0067D	0.02	S	3726D	0.00	S	5551D	0.01	S
1164D	0.13	S	3807D	0.00	S	8204D	0.00	S
1165D	0.00	S	4431D	0.01	S	8393D	0.00	S
1624D	0.00	S	4583D	0.03	S			

S=Silica

- F Rate provides for coverage under the United States Longshore and Harbor Workers Compensation Act and its extensions. Rate includes a provision for the USL&HW Assessment.
- M Risks are subject to Admiralty Law or Federal Employers Liability Act (FELA). However, the published rate is for risks that voluntarily purchase standard workers compensation and employers liability coverage. A provision for the USL&HW Assessment is included for those classifications under Program II USL Act.
- N This code is part of a ratable / non-ratable group shown below. The statistical non-ratable code and corresponding rate are applied in addition to the basic classification when determining premium.

Class Code	Non-Ratable Element Code
4766	0766
4771	0771
7405	7445
7431	7453

- P Classification is computed on a per capita basis.
- X Refer to special classification phraseology in these pages which is applicable in this state.

* Class Codes with Specific Footnotes

- 1005 Rate includes a non-ratable disease element of \$0.87. (For coverage written separately for federal benefits only, \$0.85. For coverage written separately for state benefits only, \$0.02).
- 1016 Rate includes a non-ratable disease element of \$2.59. (For coverage written separately for federal benefits only, \$2.54. For coverage written separately for state benefits only, \$0.05.)
- 6702 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection code rate and elr each x 1.215.
- 6703 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate x 1.467 and elr x 1.399.
- 6704 Rate and rating values only appropriate for laying or relaying of tracks or maintenance of way - no work on elevated railroads. Otherwise, assign appropriate construction or erection class rate and elr each x 1.35.